

Ref.No: - MEL/CTO/APPCB/2026-27/05

24.06.2026

To,
The Environmental Engineering,
Andhra Pradesh Pollution Control Board (APPCB)
Regional Office, Nellore, Plot.No-1, Prasanthi Nagar, Near Nellore Club,
Podalakur Road, Nellore
Andhra Pradesh – 524003

Subject: Submission of Annual Returns of Bio-Medical Waste in Form-IV for 2025-Reg**Ref:** 1. Bio-Medical Waste (Management & Handling) Rules 2016.

2. Order No. GN-19/APPCB/RO/NLR/BMWM/2026 – 88 Date:07.05.2026.

Dear Sir,

With respect to the aforementioned subject and above cited reference, we would like to inform your good office that Meenakshi Energy Limited a Coal based 1000 MW Thermal Power Plant.

In this regard adhering to the statutory requirement of submitting the Annual Returns in Form-IV report against the Bio-Medical authorisation conditions mentioned in the afore-said authorisation Order and Bio-Medical Waste (Management & Handling) Rules 2016, we hereby submit to your good office the Annual returns report against the afore-said Authorisation Order and BMWM rules 2016, along with the necessary supporting documents for the year 2025 (the Form-IV Annual returns report is Annexed as **Annexure-A**).

We hope that the above is in line with the requirements under the referred Bio-Medical Waste (Management & Handling) Rules 2016 and Authorisation Order.

Thanking You,

For and on behalf of Meenakshi Energy Limited


Authorized Signatory


Enc: Annual returns Report

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

S.No	Particulars	Compliance
1	Particulars of the Occupier	
	(i) Name of the authorized person (occupier or operator of facility)	Mr. KB. Binu Raphael (CEO)
	(ii) Name of HCF or CBMWTF	Occupational health Centre (OHC)
	(iii) Address for Correspondence	Meenakshi Energy Limited Thamminapatnam (Village), Chillakur (Mandal), Tirupati District, Andhra Pradesh – 524344.
	(iv) Address of Facility	Sy. Nos. 45, 46, 61P, 382, 383, 385P; 405P to 407P, 491 P, 494 P, 237, 428 to 433, 434 P to 439P, 493, 496 to 500, Thammenapatnam (V), Chillakur (M), Tirupati Dist. Andhra Pradesh-524412.
	(v) Tel. No, Fax. No	+91 9942903540
	(vi) E-mail ID	I.Janearokiaraj@vedanta.co.in
	(vii) URL of Website	www.tsplindia.co/mel/
	(viii) GPS coordinates of HCF or CBMWTF	14° 12' 54.70" N 80° 5' 06.12" E
	(ix) Ownership of HCF or CBMWTF	Occupational health Centre (OHC) of Meenakshi Energy Limited.
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Order No. GN- 19/APPCB/RO/NLR/BMWM/2026 - 88 Date: 07.05.2026
(xi). Status of Consents under Water Act & Air Act	Consent Order No: 280810/APPCB/TPT/TPT/CTO/HO/2025- 13-04-2025, Valid up to: 31.12.2027.	
2	Type of Health Care Facility	Occupational health Centre (OHC)
	(i) Bedded Hospital	No. of Beds: 2
	(ii) Non-bedded hospital - (Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	Not Applicable
	(iii) License number and its date of expiry	--
3	Details of CBMWTF	Not Applicable
	(i) Number healthcare facilities covered by CBMWTF	--
	(ii) No of beds covered by CBMWTF	--
	(iii) Installed treatment and disposal capacity of CBMWTF	--
	(iv) Quantity of biomedical waste treated or disposed by CBMWTF	--
4	Quantity of waste generated or disposed in Kg per annum (on monthly average basis)	Yellow Category : 8.732 kg
		Red Category : 8.282 kg
		White : 0
		Blue Category : 6.282 kg
		General Solid waste : 0

Form - IV
(See rule 13)
ANNUAL REPORT


5	Details of the Storage, treatment, transportation, processing and Disposal Facility				
	(i) Details of the on-site storage facility	Size : Contains with color code			
		Capacity : 10 liters			
		Provision of on-site storage: Not Applicable			
	(ii) disposal facilities	Type of treatment equipment	No of units	Capacity Kg/day	Qty treated/ disposed in kg/annum
		incinerators	-	-	-
		Plasma Pyrolysis	-	-	-
		Autoclaves	-	-	-
		Microwave	-	-	-
		Hydroclave	-	-	-
		Shredder	-	-	-
		Needle tip cutter or destroyer	-	-	-
		Sharps encapsulation /concrete pit	-	-	-
		Deep burial pits	-	-	-
		Chemical disinfection	-	-	-
		Any other treatment equipment	-	-	-
	(iii) Quantity of recyclable wastes sold to authorize recyclers after treatment in kg per annum.	Not Applicable			
	(iv) No of vehicles used for collection and transportation of biomedical waste	Not Applicable			
	(v) Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum	Incineration	Quantity generated	Where disposed	
		Ash	-	-	
		ETP Sludge	-	-	
6	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of	SS.BIOCARE, Nellore.			
	(vii) List of member HCF not handed over bio-medical waste.	--			
	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	No			
7	Details trainings conducted on BMW				
	(i) Number of trainings conducted on BMW Management.	01			
	(ii) number of personnel trained	08			
	(iii) number of personnel trained at the time of induction	0			
	(iv) number of personnel not undergone any training so far	0			
	(v) Whether standard manual for training is available?	Yes			
	(vi) Any other information.	-			
8	Details of the accident occurred during the year				
	(i) Number of Accidents occurred	Nil			
	(ii) Number of the persons affected	Nil			
	(ii) Remedial Action taken (Please attach details if any)	-			

Form - IV
(See rule 13)
ANNUAL REPORT

	(iv) Any Fatality occurred, details.	No
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not meet the standards?	Not Applicable
	Details of Continuous online emission monitoring systems installed	Not Applicable
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	Not Applicable
11	Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	Not Applicable
12	Any other relevant information	Not Applicable

Certified that the above report is for the period from January' 2025 to December'2025.

Date: 24.06.2026
Place: Thamminapatnam


Name and Signature of the Head of the Institution
A. ARUN K. ARUN K.